

**TERMS OF REFERENCE
LAND USE REPORT
APPLICATION FOR AN APARTMENT BUILDING AT
214 WATERFORD BRIDGE ROAD
PROPONENT: JENDORE LTD.
FEBRUARY 28, 2023**

The proponent shall identify significant impacts and, where appropriate, also identify measures to mitigate impacts on land uses adjoining the subject property. All information is to be submitted under one report in a form that can be reproduced for public information and review. The numbering and ordering scheme used in the report shall correspond with that used in this Terms of Reference and a copy of the Terms of Reference shall be included as part of the report (include an electronic PDF version with a maximum file size of 15MB). A list of those persons/agencies who prepared the Land Use Report shall be provided as part of the report. The following items shall be addressed by the proponent at its expense:

A. Public Consultation

- Prior to submitting a draft of the Land Use Report to the City for review, the applicant must consult with adjacent property owners. The Land Use Report must include a section which discusses feedback and/or concerns from the neighbourhood and how the proposed development/design addresses the concerns.

B. Building Use

- Identify the size of the proposed building by Gross Floor Area and identify all proposed uses/occupancies within the building by their respective Gross and Net Floor Area.
- If there are any proposed commercial uses within the Apartment Building, the days and hours of operation of each proposed use, number of employees on site at one time, and a description of the activities in the space (if applicable).

C. Building Location

- Identify graphically the exact location with a dimensioned civil site plan:
 - Lot area, lot coverage and frontage;
 - Location of the proposed building in relation to neighbouring buildings;
 - Proximity of the building to property lines and identify setbacks;
 - Identify any setbacks of higher storeys from lower storeys or building overhangs (if applicable);
 - Identify any encroachment over property lines (if applicable);
 - Identify building entrances and if applicable, door swing over pedestrian connections;
 - Information on the proposed construction of patios/balconies (if applicable); and
 - Identify any rooftop structures.
- Provide a Legal Survey of the property and a survey of the proposed subdivided lot.
- Provide street scape views/renderings of the proposed building from Columbus Drive (along the frontage of the property) and if possible, show how much of the building will be visible from Blue River Place. Include immediately adjacent buildings and spaces to inform scale/massing/context.

D. Elevation, Building Height and Materials

- Provide elevations of the proposed building.
- Identify the finish and colour of exterior building materials.
- Identify the height of the building in metres, as per the definition of Building Height from the Development Regulations.
- Confirm that the building does not project above a 45-degree angle as measured from the Rear Yard Lot Line and/or Side Yard Lot Line at a height of 12 metres, as per section 7.1.4 of the Development Regulations.
- Identify potential shadowing/loss of sunlight on adjacent public and private properties, including sidewalks.

E. Exterior Equipment and Lighting

- Identify the location and type of exterior lighting to be utilized. Identify possible impacts on adjoining properties and measures to be instituted to minimize these impacts.
- Identify the location and type of any exterior HVAC equipment to be used to service the proposed building and identify possible impacts on adjoining properties and measures to be instituted to minimize these impacts.

F. Landscaping & Buffering

- Identify with a landscaping plan, details of site landscaping (hard and soft).
 - Indicate through a tree plan/inventory which trees will be preserved.
- Identify the location and proposed methods of screening of any electrical transformers and refuse containers to be used at the site.
- Identify any additional street-level elements, such as weather protection measures at entrances, street furniture, etc.

G. Snow Clearing/Snow Storage

- Provide information on any snow clearing/snow removal operations. Onsite snow storage areas must be indicated.

H. Off-street Parking and Site Access

- A Traffic Impact Memo that meets the City's standard terms of reference and is prepared by a qualified engineer is required.
- Provide a dimensioned parking plan, including circulation details. Identify the number and location of off-street parking spaces to be provided, including accessible parking spaces.
- Identify the number and location of bicycle parking spaces to be provided.
- Identify the location of all access and egress points, including pedestrian access.
- Indicate how garbage will be handled onsite. The location of any exterior bins must be indicated and access to the bins must be provided.

I. Municipal Services

- Provide a preliminary site servicing plan.
- Identify if the building will be sprinklered or not, and location of the nearest

- hydrant and siamese connections.
- Identify points of connection to existing sanitary sewer, storm sewer and water system.
- The proposed development will be required to comply with the City's stormwater detention policy.

J. Public Transit

- Consult with St. John's Metrobus (St. John's Transportation Commission) regarding public transit infrastructure requirements.

K. Construction Timeframe

- Indicate any phasing of the project and approximate timelines for beginning and completion of each phase or overall project.
- Indicate on a site plan any designated areas for equipment and materials during the construction period.